



SUPPLEMENTAL BID BULLETIN NO. 2

2 December 2024

CLARIFICATIONS/SUPPLEMENTAL BID BULLETIN ON THE SUPPLY AND DELIVERY OF TWO (2) UNITS 4WD TRACTOR WITH IMPLEMENTS

This Supplemental Bid Bulletin No. 2 is issued to amend certain provisions of the Bidding Document issued earlier relative to the above-mentioned subject procurement.

SECTIONS/ CLAUSES AFFECTED	AMENDMENT
<p>Section VII. Technical Specification</p> <p>2 units 4WD TRACTOR</p> <p>Engine:</p> <p>No. of Cycle: 3 cycle (2.9 L)</p> <p>Aspiration: Naturally aspirated</p> <p>Emission Level: Tier 2</p> <p>Rated power: 48 to 50HP @2100 engine rpm</p> <p>Max Torque:205 Nm @1300 rpm approximately</p> <p>Fuel Tank Capacity: at least 60 Liters</p> <p>Transmission and Clutch</p> <p>Type of transmission: 8 forward x 8 reverse, mechanical Synchro Shuttle</p> <p>Minimum speed: 2.75 kph</p> <p>Maximum Road speed: 34 kph</p> <p>Type of Clutch system: Dual Clutch System / dry, friction plate (at least 11" diameter)</p> <p>Hydraulics</p> <p>Main pump flow/ pump pressure (Lpm/Bar): 38/210 Independent steering pump flow (Lpm/Bar) 38/210 Rear remote valves (max. number): 2 (factory fitted)</p> <p>Three-point linkage</p> <p>Category: I, II</p> <p>Lift Capacity : 1,800 kg @ ball ends</p> <p>Maximum lift capacity: 1,440kg @ .610 mm behind ball ends</p> <p>PTO</p> <p>Type: Independent (Dedicated 11" clutch for the PTO)</p> <p>Engine rpm @540/540E: 2016/1590</p>	<p>Section VII. Technical Specification</p> <p>2 units 4WD TRACTOR</p> <p>Minimum Requirements:</p> <p>Engine:</p> <p>No. of Cycle: 3 cycle (2.9 L)</p> <p>Aspiration: Naturally aspirated</p> <p>Emission Level: Tier 2</p> <p>Rated power: 48 to 50HP @2100 engine rpm</p> <p>Max Torque:205 Nm @1300 rpm approximately</p> <p>Fuel Tank Capacity: at least 60 Liters</p> <p>Transmission and Clutch</p> <p>Type of transmission: 8 forward x 8 reverse, mechanical Synchro Shuttle</p> <p>Minimum speed: 2.75 kph</p> <p>Maximum Road speed: 34 kph</p> <p>Type of Clutch system: Dual Clutch System / dry, friction plate (at least 11" diameter)</p> <p>Hydraulics</p> <p>Main pump flow/ pump pressure (Lpm/Bar): 38/210 Independent steering pump flow (Lpm/Bar) 38/210 Rear remote valves (max. number): 2 (factory fitted)</p> <p>Three-point linkage</p> <p>Category: I, II</p> <p>Lift Capacity : 1,800 kg @ ball ends</p> <p>Maximum lift capacity: 1,440kg @ .610 mm behind ball ends</p> <p>PTO</p> <p>Type: Independent (Dedicated 11" clutch for the PTO)</p>

<p>Equipped with stationary reverse PTO and Ground speed PTO</p> <p>Machine Dimension:</p> <p>Weight: at least 2265 kg</p> <p>Front tire size: Factory Standard Rear tire size: Factory Standard Overall width: at least 1715 mm Wheel base: at least 2040 mm</p> <p>Overall length (includes front weights): at least 3750 mm</p> <p>Height to top of ROPS w/ canopy: at least 2665 mm</p> <p>Included implements:</p> <p>1. Disc Plow</p> <p>Number of Blades: 4 discs</p> <p>Disc Diameter (mm, in): at least 558.8 mm / 22"</p> <p>Working depth: Adjustable between 5 and 8 inches</p> <p>Furrow width: adjustable around 12-18 inches</p> <p>2. Rotary Tiller</p> <p>Flange Piece: 9</p> <p>Tiling width: at least 1750 mm Tractor HP : at least 40-50 Side gear type: Gear</p> <p>Rated shaft speed: at least 540 rpm</p> <p>Rated blade speed: at least 178 rpm</p> <p>3. Seeder</p> <p>Dimensions:</p> <p>Height: at least 105 cm</p> <p>Width: at least 55 cm</p> <p>Depth: at least 55 cm</p> <p>Weight: at least 30 kg</p> <p>Hopper</p> <p>Hopper capacity: at least 105 Liters</p> <p>Working width: 4.5 meters</p> <p>Max outlets: 6</p> <p>Max seeding rate: 3.4 kilogram/minute</p> <p>Other specifications:</p> <p>Controller: Allows calibration of feed rate to ground speed (e.g. Multi metering system)</p> <p>Fan type: Electric Motor</p> <p>Hopper material: Poly seed hopper</p> <p>4. Engine with Water Pump</p> <p>Engine Type: Single-cylinder, vertical, water-cooled diesel engine.</p>	<p>Engine rpm @540/540E: 2016/1590</p> <p>Equipped with stationary reverse PTO and Ground speed PTO</p> <p>Machine Dimension:</p> <p>Weight: at least 2265 kg</p> <p>Front tire size: Factory Standard Rear tire size: Factory Standard Overall width: at least 1715 mm Wheel base: at least 2040 mm</p> <p>Overall length (includes front weights): at least 3750 mm</p> <p>Height to top of ROPS w/ canopy: at least 2665 mm</p> <p>Included implements:</p> <p>1. Disc Plow</p> <p>Number of Blades: 4 discs</p> <p>Disc Diameter (mm, in): at least 558.8 mm / 22"</p> <p>Working depth: Adjustable between 5 and 8 inches</p> <p>Furrow width: adjustable around 12-18 inches</p> <p>2. Rotary Tiller</p> <p>Flange Piece: 9</p> <p>Tiling width: at least 1750 mm Tractor HP : at least 40-50 Side gear type: Gear</p> <p>Rated shaft speed: at least 540 rpm</p> <p>Rated blade speed: at least 178 rpm</p> <p>3. Seeder</p> <p>Dimensions:</p> <p>Height: at least 105 cm</p> <p>Width: at least 55 cm</p> <p>Depth: at least 55 cm</p> <p>Weight: at least 30 kg</p> <p>Hopper</p> <p>Hopper capacity: at least 105 Liters</p> <p>Working width: 4.5 meters</p> <p>Max outlets: 6</p> <p>Max seeding rate: 3.4 kilogram/minute</p> <p>Other specifications:</p> <p>Controller: Allows calibration of feed rate to ground speed (e.g. Multi metering system)</p> <p>Fan type: Electric Motor</p> <p>Hopper material: Poly seed hopper</p> <p>4. Engine with Water Pump</p>
--	--

<p>Power Output: 8 HP Displacement: 611 cc Fuel Type: Diesel</p> <p>Cooling System: Water-cooled</p> <p>Engine Speed: 2200 RPM</p> <p>Compression ratio: 17.1</p> <p>Starting System: Manual start with option for electric start</p> <p>Weight: 150 Kg Water Pump:</p> <p>Pump type: Centrifugal Pump or Self-Priming Pump</p> <p>Maximum flow rate: at least 2000 to 4000 LPH</p> <p>Maximum Head (Pressure): 30 meters</p> <p>Suction size: 50 mm Discharge size: 50 mm</p> <p>5. Leveler</p> <p>Dimensions:</p> <p>Overall unfolded length (mm): at least 4510</p> <p>Folded length(mm): at least 1880</p> <p>Outer harrow board (mm): at least 920</p> <p>Auxiliary wing: at least 350</p> <p>Rotary shaft width(mm):at least 1600</p> <p>Spring (pcs): 24</p> <p>Power: at least 40 HP</p> <p>6. Hand Cultivator</p> <p>Length: at least 1.9 meters</p> <p>Width: At least 80 cm</p> <p>Height: at least 1.1 meters</p> <p>Weight: at least 160kg</p> <p>Rotary:</p> <p>Number of speed-changing steps: 8 stage rpm:</p> <p>Thick: Slow – at least 250 Fast – at least 360</p> <p>Thin: Slow – at least 345 Fast – at least 490</p> <p>Speed:</p> <p>Operation type: Center drive type</p> <p>Forward (Km/H): at least 1.5</p> <p>Backward (Km/H): at least 1.4</p> <p>PTO (rpm): at least 720</p>	<p>Engine Type: Single-cylinder, vertical, water-cooled diesel engine.</p> <p>Power Output: 8 HP Displacement: 611 cc Fuel Type: Diesel</p> <p>Cooling System: Water-cooled</p> <p>Engine Speed: 2200 RPM</p> <p>Compression ratio: 17.1</p> <p>Starting System: Manual start with option for electric start</p> <p>Weight: 150 Kg Water Pump:</p> <p>Pump type: Centrifugal Pump or Self-Priming Pump</p> <p>Maximum flow rate: at least 2000 to 4000 LPH</p> <p>Maximum Head (Pressure): 30 meters</p> <p>Suction size: 50 mm Discharge size: 50 mm</p> <p>5. Leveler</p> <p>Dimensions:</p> <p>Overall unfolded length (mm): at least 4510</p> <p>Folded length(mm): at least 1880</p> <p>Outer harrow board (mm): at least 920</p> <p>Auxiliary wing: at least 350</p> <p>Rotary shaft width(mm):at least 1600</p> <p>Spring (pcs): 24</p> <p>Power: at least 40 HP</p> <p>6. Hand Cultivator</p> <p>Length: at least 1.9 meters</p> <p>Width: At least 80 cm</p> <p>Height: at least 1.1 meters</p> <p>Weight: at least 160kg</p> <p>Rotary:</p> <p>Number of speed-changing steps: 8 stage rpm:</p> <p>Thick: Slow – at least 250 Fast – at least 360</p> <p>Thin: Slow – at least 345 Fast – at least 490</p> <p>Speed:</p> <p>Operation type: Center drive type</p> <p>Forward (Km/H): at least 1.5</p>
--	---

<p>Engine: Engine Type: Air-cooled four cycle OHV gasoline Displacement (cc): at least 295 Maximum output (kW): at least 5.9 Fuel tank capacity (L): at least 6.0 Fuel type: unleaded gasoline Starting type: Manual Start</p> <p>Type of Clutch: Main Clutch: Bell tension Steering clutch: Mechanical clutch type Tilling clutch: Gearbox</p>	<p>Backward (Km/H): at least 1.4 PTO (rpm): at least 720</p> <p>Engine: Engine Type: Air-cooled four cycle OHV gasoline Displacement (cc): at least 295 Maximum output (kW): at least 5.9 Fuel tank capacity (L): at least 6.0 Fuel type: unleaded gasoline Starting type: Manual Start</p> <p>Type of Clutch: Main Clutch: Bell tension Steering clutch: Mechanical clutch type Tilling clutch: Gearbox</p>
<p>Additional requirements:</p> <ol style="list-style-type: none"> 1. AMTEC Test Report for: <ol style="list-style-type: none"> a. 49.5 HP 4WDTractor b. Rotary Tiller c. APV Seeder d. Disc Plow 2. Certificate of Compliance for the Tractor 	<p>Additional requirements:</p> <ol style="list-style-type: none"> 1. AMTEC Test Report for: <ol style="list-style-type: none"> a. 48 to 50HP 4WDTractor b. Rotary Tiller c. APV Seeder d. Disc Plow 2. Certificate of Compliance for the Tractor (Attach O.R. as proof if the bidder has applied for certification)
<p>Section VIII. Checklist of the Technical and Financial Documents</p> <p>Checklist of Technical and Financial Documents</p> <p>I. TECHNICAL COMPONENT ENVELOPE</p> <p style="text-align: center;">Class "A" Documents</p> <p>Legal Documents</p> <p><input type="checkbox"/> (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); Technical Documents</p> <p><input type="checkbox"/> (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and</p> <p><input type="checkbox"/> (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and</p>	<p>Section VIII. Checklist of the Technical and Financial Documents</p> <p>Checklist of Technical and Financial Documents</p> <p>I. TECHNICAL COMPONENT ENVELOPE</p> <p style="text-align: center;">Class "A" Documents</p> <p>Legal Documents</p> <p><input type="checkbox"/> (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); Technical Documents</p> <p><input type="checkbox"/> (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. This statement shall be supported with; 1.) Notice of Award and/or Contract 2.) Notice to Proceed and/or P.O. with conforme signed by the supplier and 3.) Certificate of Accomplishment signed by the owner or authorized representative; and</p> <p><input type="checkbox"/> (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract</p>

(d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and

(e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after sales/parts, if applicable; and

(f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and

(h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. 32 Other documentary requirements under RA No. 9184 (as applicable) (j) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.

(k) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

(a) Original of duly signed and accomplished Financial Bid Form; and

(b) Original of duly signed and accomplished Price Schedule(s).

to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents. This statement shall be supported with; 1.) Contract 2.) Certificate of Completion and 3.) Certificate of Acceptance; and

(d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or Original copy of Notarized Bid Securing Declaration; and

(e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after sales/parts, if applicable; and

(f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(g) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and

(h) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(i) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. 32 Other documentary requirements under RA No. 9184 (as applicable) (j) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.

(k) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

	<p>II. FINANCIAL COMPONENT ENVELOPE</p> <p><input type="checkbox"/> (a) Original of duly signed and accomplished Financial Bid Form; and</p> <p><input type="checkbox"/> (b) Original of duly signed and accomplished Price Schedule(s).</p>
--	---

The foregoing shall form an integral part of the Bid Documents and supersede previous issuances relative to the subject procurement.

Approved by:


GEFELYN A. GOLENG
Chairman, BAC